

# Outdoor Spotlights

HL-3025



HL-3065



HL-3060



HL-3020



HL-3070



HL-3062



HL-3067



HL-3055



Code No.	Width	Height	Lamp	Description
HL - 3020	70ø	-	1xPar 38	Cast Aluminium Lighting Fixtures, Corrosion and UV Ray Resistant Coating, Toughened Glass, Rubber Gasket, Stainless Steel Screws.
HL - 3025	70ø	-	1xPar 38	
HL - 3055	130ø	-	1xPar 38	
HL - 3060	84ø	-	1x12V / 50w Dichroic Halogen	
HL - 3062	84ø	-	1x12V / 50w Dichroic Halogen	
HL - 3065	84ø	-	1x12V / 50w Dichroic Halogen	
HL - 3067	84ø	-	1x12V / 50w Dichroic Halogen	
HL - 3070	84ø	-	1x12V / 50w Dichroic Halogen	

• All sizes are in mm

# HOMDEC Outdoor Spotlights



Code No.	Width	Height	Lamp	Description
HL - 3015	1850	-	1x GLS /Retrofit CFL	Spun Aluminium Housing, Corrosion and UV Ray Resistant Coating, Toughened Glass, Silicon Rubber Gasket, Stainless Steel Screws.
HL - 3035	1450	-	1x GLS /Retrofit CFL	
HL - 3005	1150	-	1x GLS /Retrofit CFL	
HL - 3050	1450	-	1x GLS /Retrofit CFL	
HL - 3010	1450	-	1x GLS /Retrofit CFL	
HL - 3030	1150	-	1x GLS /Retrofit CFL	
HL - 3015	1850	-	1x GLS /Retrofit CFL	

• All sizes are in mm

# HOMDEC

## Outdoor Spotlights

HL-3092



HL-3094



HL-3040



HL-3093



HL-3064



HL-3080



HL-3091



HL-3082



Code No.	Width	Height	Lamp	Description
HL - 3040	185ø	-	1x GLS/Retrofit CFL	Cast Aluminium Lighting Fixtures, Corrosion and UV Ray Resistant Coating, Toughened Glass, Rubber Gasket, Stainless Steel Screws.
HL - 3064	95ø	-	1x 12v/50w Dichroic Halogen	
HL - 3080	75ø	-	1x PAR 38	
HL - 3082	75ø	-	2x Par 38	
HL - 3091	100ø	-	1x 50w Halogen GU 10 base	
HL - 3092	100ø	-	1x 50w Halogen GU 10 base	
HL - 3093	100ø	-	1x 50w Halogen GU 10 base	
HL - 3094	100ø	-	1x 50w Halogen GU 10 base	

Note: HL - 3040 Spun Aluminium Housing

• All sizes are in mm

Flood Lights/ Outdoor Spotlights



HL-3116




HL-3105



HL-3115



HL-4002



HL-3118



HL-3120



HL-3119



Code No.	Width	Recess Depth	Lamp	Description
HL - 3116	125ø	-	35/70W MH (G-12Base)	Cast Aluminium Body, Toughened Glass, Rubber Gasket, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating.
HL - 3115	125ø	-	Par 30 (E-27 Base)	
HL - 4002	205ø	150	1x35/70W MH (G-12Base)	
HL - 3105	105ø	160	1x50w Halogen GU 10 base	
HL - 3118	-	-	1x70w/150w MHL (Rx7S Base)	
HL - 3120	-	-	1x250w/400w HPSV/MHL (E-40 Base)	
HL - 3119	-	-	1x250w/400w HPSV/MHL (E-40 Base)	

Note- HL-3105- Polypropylene Console  
 • All sizes are in mm

# HOMDEC

## Outdoor Spotlights

HL-3111



HL-3112



HL-3066



HL-3096



HL-3107



HL-3097



HL-3108



HL-3109



HL-3087



HL-3117



Code No.	Width	Height	Lamp	Description
HL - 3066	95ø	-	1x12v/50w Dichroic Halogen	Cast Aluminium Lighting Fixtures, Stainless Steel Screw, Corrosion and UV Ray Resistant Coating, Toughened Glass, Rubber Gasket.
HL - 3096	125ø	240ø B.Width	1x35w/70w MH (G12 Base) or 1xPAR 30(E27 Base)	
HL - 3087	120	240 B.Width	1x70/150w MHL/(G12Base)	
HL - 3097	125ø	145ø B.Width	1x18w TC-D or 1xPAR 30	
HL - 3107	100ø	-	1x50w Halogen (GU-10Base)	
HL - 3108	75ø	-	1xPAR 38	
HL - 3109	75ø	-	1xPAR 30	
HL - 3111	125ø	-	1x35w/70w MH (G-12Base)	
HL - 3112	125ø	-	1xPAR 30 (E-27Base)	
HL - 3117	127ø	-	1xPAR 20 Halogen (E-27Base)	

• All sizes are in mm

Note: HL-3097, HL-3096, HL-3111, HL-3112, HL-3087 – M.S. Clamp