

# Lighting Poles

HL-ALP-215



HL-ALP-202



HL-ALP-203



HL-ALP-219



HL-ALP-201



**Code No.**

**Height**

**Installation Schematics**

**Description**

HL - ALP - 215  
HL - ALP - 201  
HL - ALP - 202  
HL - ALP - 203  
HL - ALP - 219

765  
780  
920  
1660  
2000

Figure - 8  
Figure - 11  
Figure - 10  
Figure - 12  
Figure-39

Cast Aluminium / Cast Iron  
Poles, Corrosion and UV  
Ray Resistant Coating.


• All sizes are in mm

# HOMDEC Lighting Poles



Code No.	Height	Installation Schematics	Description
HL - ALP - 204	1900	Figure - 9	Cast Aluminium / Cast Iron Poles, Corrosion and UV Ray Resistant Coating.
HL - ALP - 205	2165	Figure - 8	
HL - ALP - 206	2300	Figure - 6	
HL - ALP - 207	3000	Figure - 6	

• All sizes are in mm



Code No.	Height	Installation Schematics	Description
HL - CIP 218	3000	Figure - 38	Cast Iron Poles, Corrosion and UV Ray Resistant Coating
HL - CIP 210	3000	Figure - 40	
HL - CIP 212	4410	Figure - 5	
HL - CIP 216	2920	Figure - 3	

• All sizes are in mm

# HOMDEC Lighting Poles



Code No.	Height	Installation Schematics	Description
HL - MSP-225	2500/3000/3500	Figure- 2	Mild Steel Poles, Corrosion and UV Ray Resistant Coating
HL - MSP 229	2925/3925/4925/6000	Figure - 36	
HL - MSP-232	2500/3000/3650	Figure-7	
HL - MSP-228	2350/3000/3500	Figure-7	
HL - MSP - 209	2440/3000/3650	Figure - 7	
HL - MSP - 214	2425/2925	Figure - 2	

Note- HL-MSP-214/HL-MSP-228- Cast Aluminium Embellishments

\* Height of pole can be changed according to customer's requirements.

• All sizes are in mm



HL-MSP-227




HL-MSP-224



HL-MSP-226



HL-CIP-231



Code No.	Height	Installation Schematics	Description
HL-MSP-227	600/1000/1200/1500	Figure- 37	Mild Steel Poles, Corrosion and UV Ray Resistant Coating
HL-MSP-224	2500/3000/3500	Figure- 2	
HL-MSP-226	2925/3925	Figure-36	
HL-CIP-231	3000	Figure-8	

\* Height of pole can be changed according to customer's requirements.

NOTE-HL-MSP-224/MSP-226- Cast Iron Embellishments, HL-CIP-231- Cast Iron Base

• All sizes are in mm

# HOMDEC Lighting Poles



Code No.	Height	Installation Schematics	Description
HL-MSP-211	2925/3925/4925/6000	Figure - 1	Mild Steel Poles, Corrosion and UV Ray Resistant Coating
HL-MSP-213	2925/3925/4925/6000	Figure - 1	
HL-MSP-220	2925/3925/4925/6000	Figure- 35	
HL-MSP-223	3000/4000 (Pole Dia - 114mm)	Figure-2	

NOTE-HL-MSP-211/HL-MSP-213/HL-MSP-220- Cast Iron Embellishments.

\* Height of pole can be changed according to customer's requirements.

• All sizes are in mm