

Wall Lights



HL-1012




HL-1015




HL-1005



HL-1230



HL-1056




HL-1222



HL-1250



HL-1057



Code No.

Width

Height

Extension

Description

HL - 1005
HL - 1012
HL - 1015
HL - 1056
HL - 1057
HL - 1222
HL - 1230
HL - 1250

150
150
150
100
145
310
150
150

240
250
195
185
195
205
200
230

210
170
205
100
105
195
210
180

Cast Aluminium Lighting Fixtures, CRC Back Plate, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating, Sand Blasted Glass Diffuser.

• Use Lamp - GLS/Retrofit CFL • All sizes are in mm

HOMDEC Wall Lights

HL-1025



HL-1030



HL-1022



HL-1075



HL-1010



HL-1020



HL-1211



HL-1213



HL-1215




Code No.	Width	Height	Extension	Description
HL - 1010	115	210	115	Cast Aluminium Housing, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating, Sand Blasted Glass Diffuser.
HL - 1020	150	170	175	
HL - 1022	150	200	205	
HL - 1025	150	210	205	
HL - 1030	150	235	210	
HL - 1075	200	270	270	
HL - 1211	195	250	105	
HL - 1213	160	220	110	
HL - 1215	160	200	90	

Note: HL-1211, HL-1213, HL-1215- CRC Back Plate, Acrylic Diffuser, HL - 1010 - without Diffuser (use direct CFL Lamp)

• Use Lamp - GLS/Retrofit CFL • All sizes are in mm



HL-1212



HL-1214



HL-1266



HL-1261



HL-1225



HL-1265



HL-1260



Code No.	Width	Height	Extension	Lamp	Description
HL - 1212	200	230	110	GLS/Retrofit CFL	Cast Aluminium Housing, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating.
HL - 1214	155	320	90	GLS/Retrofit CFL	
HL - 1225	165 ϕ	445	295	1x60w GLS/18w TC-D	
HL - 1260	100	245	185	1x18w TC-D	
HL - 1261	100	245	185	1x18w TC-D	
HL - 1266	100	220	185	1x18w TC-D	
HL - 1265	100	220	185	1x18w TC-D	

Note: Note- HL-1212- Acrylic Diffuser, CRC Back Plate, HL-1266,HL-1261,HL-1265,HL-1260- Polycarbonate Diffuser and Reflector, HL-1225-Polycarbonate Diffuser, Anodised Aluminium Reflector, HL-1214-Glass Diffuser

• All sizes are in mm

HOMDEC Wall Lights



HL-1216



HL-1217



HL-1219



HL-3095



HL-1019



HL-1021



Code No.	Width	Height	Extension	Lamp	Description
HL - 1019	63	310	125	1x18w CFL	Aluminium Housing, Stainless Steel Screws, Corrosion and UV Ray Resistant Coating, Rubber Gasket.
HL - 1021	260	260	90	2x18w/26w CFL	
HL - 1216	88ø	265	150	2xPAR 20	
HL - 1219	150ø	250	215	1x70w MH	
HL - 1217	88ø	170	150	1xPAR 20	
HL - 3095	125ø	215	290	1x70w MH	

Note: HL-1216, 1217, 1219, 3095 - Toughened Glass. HL-1019 - Acrylic Diffuser. HL-1021 - Polycarbonate Diffuser

• All sizes are in mm



HL-1031



HL-1033



HL-1036




HL-1037




HL-1038



HL-1039



HL-1034



HL-1035

Code No.	Width	Height	Extension	Description
HL - 1031	160	210	210	CRCA Body, Sand Blasted Glass Diffuser, Corrosion Resistant Powder Coating.
HL - 1033	420	210	235	
HL - 1034	145	260	165	
HL - 1035	360	260	195	
HL - 1036	170	260	250	
HL - 1037	375	260	235	
HL - 1038	120	255	185	
HL - 1039	315	255	185	

• Use Lamp - GLS/Retrofit CFL • All sizes are in mm